

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Keisha Douglas

Timestamp: [year=2008; month=8; day=6; hr=16; min=59; sec=39; ms=629;]

=====

Application No: 10590896 Version No: 2.0

Input Set:

Output Set:

Started: 2008-07-01 10:51:45.387
Finished: 2008-07-01 10:51:45.797
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 410 ms
Total Warnings: 4
Total Errors: 0
No. of SeqIDs Defined: 7
Actual SeqID Count: 7

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)

SEQUENCE LISTING

<110> JURIDICAL FOUNDATION THE CHEMO-SERO-THERAPEUTIC RESEARCH INSTITUTE

<120> A method for the production of *Erysipelothrix rhusiopathiae* surface protective antigen in *Escherichia coli*

<130> 664968

<140> 10590896

<141> 2008-07-01

<150> JP 2004-53882

<151> 2004-02-27

<160> 7

<170> PatentIn version 3.1

<210> 1

<211> 1881

<212> DNA

<213> *Erysipelothrix rhusiopathiae*

<400> 1

atgaaaaaga	aaaaacacct	atctccgaaa	gtaagtctta	tgtcgtgctt	acttttaaca	60
gcaatgccac	tacaaacagc	ttttgctgat	tcgacagata	tttctgtgat	tccactaatc	120
gggtgaacaag	ttggattgct	cccagtttta	cctgggacag	gggtacatgc	tcaggaatac	180
aacaaaatga	ctgatgctta	tattgaaaaa	ttggtatctc	taattaatca	aaaagtgaag	240
ccgtttctta	taaatgagcc	aaaggggtac	caaagtttcg	aagcagtga	tgaagagatt	300
aactcgattg	taagtgaact	taaaaatgaa	ggaatgagtc	ttcaaaacat	tcaccatatg	360
tttaaacaaa	gcattcaaaa	cctagcaact	agaatcggtc	acagaagttt	tatgcaggat	420
gctatgtatc	ttgaaaattt	tgaagatta	acgattcctg	aacttgatga	agcatacgtt	480
gatttactcg	tgaattacga	ggtgaaacac	cgtattttag	taaaatatga	aggtaaagtt	540
aaaggtagag	ctcccttaga	agcattttata	gttcctctaa	gagatagaat	tcgtagtatg	600
aatgaaattg	ctgcagaagt	aaattatttta	cctgaagcgc	atgaggattt	cttagtttca	660
gattcaagcg	agtataatga	caaactaaat	aatatcaact	ttgctttggg	tctaggggtc	720
agcgagttta	ttgactataa	ccggctcgaa	aatatgatgg	aaaaagaact	tcatccactg	780
tatcttgaa	tttatgctat	gcggagaaat	cgccaaattc	aagttgtaag	agatgtatat	840
ccaaacttgg	aacgtgcgaa	cgcggttggt	gaatccttaa	agacaattaa	agatataaaa	900
caaagaggga	agaaactaca	ggaacttctt	gaaatttata	tccaaagaag	tggagatggt	960
cgaaaaccag	atgtactcca	acgattttatt	ggaaaatatc	aatcagtagt	tgatgaagaa	1020
aaaaataaac	ttcaagatta	tttagaatca	gatatttttg	attcatatag	tgtggatggc	1080
gagaaaataa	gaaataaaga	aattacactc	atcaatagag	atgcatactt	atctatgatt	1140
tacagagctc	aatcgatttc	ggaaattaag	acgattcgtg	cagatttaga	atcacttgtc	1200
aaatcattcc	aaaatgaaga	aagtgactct	aaagtagagc	ctgaaagtcc	cgttaaagta	1260
gaaaaaccag	ttgatgaaga	aaaacctaaa	gatcaaaaga	agctagttga	tcaatcaaaa	1320
cccgaatcga	attcaaaaga	aggggtggatt	aagaaagata	ataagtgggt	ctatattgag	1380
aaatcaggtg	gaatggcaac	aggttggaag	aaggtagcag	acaaatggta	ctacctcgat	1440
aatacgggtg	ctatagttac	gggttggaag	aaggtagcaa	acaaatggta	ctatcttgaa	1500
aaatcaggtg	cgatggcaac	aggatggaag	aaagtatcaa	acaagtggta	ctaccttgaa	1560
aactcaggtg	caatggcaac	aggatggaag	aaagtatcaa	acaagtggta	ctaccttgaa	1620
aattcaggcg	caatggctac	aggatggaaa	aaggtagcaa	acaaatggta	ctaccttgaa	1680
aactcaggtg	cgatggcaac	aggatggaag	aaagtatcga	acaagtggta	ctaccttgaa	1740
aactcaggcg	caatggctac	aggatggaaa	aaggtagcaa	acaaatggta	ctaccttgat	1800
aaatcaggaa	tgatgggttac	aggttcaaaa	tctattgatg	gtaaaaagta	tgcatttaag	1860
aacgatggaa	gtttaaaata	g				1881

<210> 2

<211> 626

<212> PRT

<213> Erysipelothrix rhusiopathiae

<400> 2

Met	Lys	Lys	Lys	Lys	His	Leu	Phe	Pro	Lys	Val	Ser	Leu	Met	Ser	Cys
1				5					10					15	
Leu	Leu	Leu	Thr	Ala	Met	Pro	Leu	Gln	Thr	Ala	Phe	Ala	Asp	Ser	Thr
			20					25					30		
Asp	Ile	Ser	Val	Ile	Pro	Leu	Ile	Gly	Glu	Gln	Val	Gly	Leu	Leu	Pro
		35				40						45			
Val	Leu	Pro	Gly	Thr	Gly	Val	His	Ala	Gln	Glu	Tyr	Asn	Lys	Met	Thr
	50					55					60				
Asp	Ala	Tyr	Ile	Glu	Lys	Leu	Val	Ser	Leu	Ile	Asn	Gln	Lys	Val	Lys
65					70					75					80
Pro	Phe	Leu	Ile	Asn	Glu	Pro	Lys	Gly	Tyr	Gln	Ser	Phe	Glu	Ala	Val
				85					90						95
Asn	Glu	Glu	Ile	Asn	Ser	Ile	Val	Ser	Glu	Leu	Lys	Asn	Glu	Gly	Met
			100						105					110	
Ser	Leu	Gln	Asn	Ile	His	His	Met	Phe	Lys	Gln	Ser	Ile	Gln	Asn	Leu
	115						120					125			
Ala	Thr	Arg	Ile	Gly	Tyr	Arg	Ser	Phe	Met	Gln	Asp	Ala	Met	Tyr	Leu
	130						135				140				
Glu	Asn	Phe	Glu	Arg	Leu	Thr	Ile	Pro	Glu	Leu	Asp	Glu	Ala	Tyr	Val
145					150					155					160
Asp	Leu	Leu	Val	Asn	Tyr	Glu	Val	Lys	His	Arg	Ile	Leu	Val	Lys	Tyr
				165					170					175	
Glu	Gly	Lys	Val	Lys	Gly	Arg	Ala	Pro	Leu	Glu	Ala	Phe	Ile	Val	Pro
			180					185					190		
Leu	Arg	Asp	Arg	Ile	Arg	Ser	Met	Asn	Glu	Ile	Ala	Ala	Glu	Val	Asn
	195						200					205			
Tyr	Leu	Pro	Glu	Ala	His	Glu	Asp	Phe	Leu	Val	Ser	Asp	Ser	Ser	Glu
	210						215					220			
Tyr	Asn	Asp	Lys	Leu	Asn	Asn	Ile	Asn	Phe	Ala	Leu	Gly	Leu	Gly	Val
225					230					235					240
Ser	Glu	Phe	Ile	Asp	Tyr	Asn	Arg	Leu	Glu	Asn	Met	Met	Glu	Lys	Glu
				245						250				255	
Leu	His	Pro	Leu	Tyr	Leu	Glu	Leu	Tyr	Ala	Met	Arg	Arg	Asn	Arg	Gln
		260						265					270		
Ile	Gln	Val	Val	Arg	Asp	Val	Tyr	Pro	Asn	Leu	Glu	Arg	Ala	Asn	Ala
		275					280						285		
Val	Val	Glu	Ser	Leu	Lys	Thr	Ile	Lys	Asp	Ile	Lys	Gln	Arg	Gly	Lys
	290						295					300			
Lys	Leu	Gln	Glu	Leu	Leu	Glu	Ile	Tyr	Ile	Gln	Arg	Ser	Gly	Asp	Val
305					310					315					320
Arg	Lys	Pro	Asp	Val	Leu	Gln	Arg	Phe	Ile	Gly	Lys	Tyr	Gln	Ser	Val
				325					330					335	
Val	Asp	Glu	Glu	Lys	Asn	Lys	Leu	Gln	Asp	Tyr	Leu	Glu	Ser	Asp	Ile
		340						345					350		
Phe	Asp	Ser	Tyr	Ser	Val	Asp	Gly	Glu	Lys	Ile	Arg	Asn	Lys	Glu	Ile
	355						360					365			
Thr	Leu	Ile	Asn	Arg	Asp	Ala	Tyr	Leu	Ser	Met	Ile	Tyr	Arg	Ala	Gln
	370						375					380			
Ser	Ile	Ser	Glu	Ile	Lys	Thr	Ile	Arg	Ala	Asp	Leu	Glu	Ser	Leu	Val

385 390 395 400
 Lys Ser Phe Gln Asn Glu Glu Ser Asp Ser Lys Val Glu Pro Glu Ser
 405 410 415
 Pro Val Lys Val Glu Lys Pro Val Asp Glu Glu Lys Pro Lys Asp Gln
 420 425 430
 Lys Lys Leu Val Asp Gln Ser Lys Pro Glu Ser Asn Ser Lys Glu Gly
 435 440 445
 Trp Ile Lys Lys Asp Asn Lys Trp Phe Tyr Ile Glu Lys Ser Gly Gly
 450 455 460
 Met Ala Thr Gly Trp Lys Lys Val Ala Asp Lys Trp Tyr Tyr Leu Asp
 465 470 475 480
 Asn Thr Gly Ala Ile Val Thr Gly Trp Lys Lys Val Ala Asn Lys Trp
 485 490 495
 Tyr Tyr Leu Glu Lys Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val
 500 505 510
 Ser Asn Lys Trp Tyr Tyr Leu Glu Asn Ser Gly Ala Met Ala Thr Gly
 515 520 525
 Trp Lys Lys Val Ser Asn Lys Trp Tyr Tyr Leu Glu Asn Ser Gly Ala
 530 535 540
 Met Ala Thr Gly Trp Lys Lys Val Ala Asn Lys Trp Tyr Tyr Leu Glu
 545 550 555 560
 Asn Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val Ser Asn Lys Trp
 565 570 575
 Tyr Tyr Leu Glu Asn Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val
 580 585 590
 Ala Asn Lys Trp Tyr Tyr Leu Asp Lys Ser Gly Met Met Val Thr Gly
 595 600 605
 Ser Lys Ser Ile Asp Gly Lys Lys Tyr Ala Phe Lys Asn Asp Gly Ser
 610 615 620
 Leu Lys
 625

<210> 3

<211> 37

<212> DNA

<213> Artificial

<220>

<223> Sense primer designed for preparation of SpaA and fSpaA protein by PCR amplification

<400> 3

catgccatgg ctttcgctga ttgcacagat atttctg

37

<210> 4

<211> 33

<212> DNA

<213> Artificial

<220>

<223> Antisense primer designed for preparation of fSpaA protein by PCR amplification

<400> 4

cgcggatcct tatactttaa cgggactttc agg

33

<210> 5
<211> 38
<212> DNA
<213> Artificial

<220>

<223> Antisense primer designed for preparation of SpaA protein by PCR amplification

<400> 5

cgcggatccg tctatttttaa acttccatcg ttcttaaa 38

<210> 6

<211> 24

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide designed for preparation of pointmutated SpaA protein by site directed mutagenesis

<400> 6

ctgaagcgca ggaggatttc ttag 24

<210> 7

<211> 1748

<212> DNA

<213> *Erysipelothrix rhusiopathiae*

<400> 7

tgattccact	aatcgggtgaa	caagttggat	tgctcccagt	tttacctggg	acagggatac	60
atgctcagga	atacaacaaa	atgactgatg	cttatattga	aaatttggtg	tctctaatta	120
atcaaaaagt	gaagcggttt	cttataaatg	aaccaaaggg	gtaccaagt	ttcgaagcag	180
tgaatgaaga	gattaactcg	attgtaagtg	aacttaaa	tgaaggaatg	agtcttcaa	240
acattcacca	tatgttttaa	caaagcatcc	aaaacctagc	aactagaatc	ggctacagaa	300
gttttatgca	ggatgctatg	tatcttgaaa	attttgaaag	attaacgatt	cctgaacttg	360
atgaagcata	cgttgattta	ctcgtgaatt	acgaggtgaa	acaccgtatt	ttagtaaaat	420
atgaagataa	agttaaaggt	agagctccat	tagaagcatt	tatagtccct	ctaagaaata	480
gaattcgtag	tatgaatgaa	attgctgcag	aagtaaatta	tttacctgaa	gcgcagagag	540
atttcttagt	ttcagattca	agcaggtata	atgacaaact	aaataatatc	aactttgctt	600
tgggtctagg	ggtcagcgag	tttattgact	ataaccggct	cgaaaatatg	atggaaaaag	660
aaattcatcc	attgtatctt	gaactttatg	ctatgcggag	aaatcgccaa	attcaagttg	720
taagagatgt	atatccaaac	ttggaacgtg	cgaacgcggg	tgttgaaatc	ttaaagacaa	780
ttaaagatat	aaaacaaaga	gagaagaaac	tacaggaact	tcttgaaatt	tatatccaaa	840
gaagtggaga	tggttcgaaaa	ccagatgtac	tccaacgatt	tattggaaaa	tatcaatcag	900
tagttgatga	agaaaaaaat	aaacttcaag	attattttaga	atcagatatt	tttgattcat	960
atagtgtgga	tggcgagaaa	ataagaaata	aagaaattac	actcatcaat	agagatgcat	1020
acttatctat	gatttacaga	gctcaatcga	tttcggaaat	taagacgatt	cgtgcagatt	1080
tagaatcact	tgtcaaatac	ttccaaaatg	aagaaaagtga	ttctaaagta	gagcctgaaa	1140
gtcccgttaa	agtagaaaaa	ccagttgata	aagaaaaacc	taaagatcaa	aagaagccag	1200
ttgatcaatc	aaaacccgaa	tcgaattcaa	aagaagggtg	gattaagaaa	gataataagt	1260
ggttctatat	tgagaaatca	ggtggaatgg	caacaggatg	gaagaaggta	ggagacaaat	1320
ggtactacct	cgataatacg	ggtgctatgg	ttacgggttg	gaagaaggta	gcaaacaat	1380
ggtactacct	tgaaaactca	ggtgcgatgg	caacaggatg	gaagaaagta	tcaaacaagt	1440
ggtactacct	tgaaaactca	ggtgcgatgg	caacaggatg	gaagagagta	tcaaacaagt	1500
ggtactacct	tgaaaattca	ggcgcaatgg	ctacaggatg	gaaaaaggta	gcaaacaat	1560

ggtactacct	tgaaaactca	ggtgcgatgg	caacaggatg	gaagaaagta	tcgaacaagt	1620
ggtactacct	tgaaaactca	ggcgcaatgg	caacgggttg	gaagaaaata	gcaaataaat	1680
ggtactacct	tgataaatca	ggaatgatgg	ttacagggtc	aaaatctatt	gatggtaaaa	1740
agtatgca						1748